

SurFix[™] FEP Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Version: G02

SECTION 1: Identification

1.1. Product identifier

Use of the substance/mixture

Product name	:	SurFix™ FEP
Product code	:	Not available

Relevant identified uses of the substance or mixture and uses advised against

: High performance, cement-based, trowel applied self-leveling underlayment

1.3. Details of the supplier of the safety data sheet

Penetron Specialty Products Inc. 45 Research Way, Suite 203 East Setauket, New York 11733 - USA T +1 (631) 941-9700 info@penetronsp.com - penetronsp.com

1.4. **Emergency telephone number**

Emergency number

1.2.

: (Chemtrec): US and Canada: 1-800-424-9300; International +1 703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irrit. 2 Eye Dam. 1 Carc. 2 STOT SE 3

2.2. Label elements

GHS-US labeling Hazard pictograms (GHS-US)



Signal word (GHS-US) Hazard statements (GHS-US)

Precautionary statements (GHS-US)

- Causes skin irritation. Causes serious eye damage. Suspected of causing cancer. May cause respiratory irritation.
- Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards 23

No additional information available.

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/Information on ingredients

3.1. Substance Not applicable.

: Danger

SurFix[™] FEP

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

3.2. Mixture

Name	Product identifier	%
Cement, alumina, chemicals	(CAS No) 65997-16-2	20 - 30
Vinyl acetate	(CAS No) 108-05-4	15 - 25
Cement, portland, chemicals	(CAS No) 65997-15-1	10 - 20

* The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4.1. Description of first aid measure	
First-aid measures after inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
First-aid measures after ingestion	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3. Indication of any immediate me	dical attention and special treatment needed
Symptoms may not appear immediately. In ca	se of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
SECTION 5: Firefighting measure	es
5.1. Extinguishing media	
Suitable extinguishing media	: Treat for surrounding material.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from th	e substance or mixture
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
5.3. Advice for firefighters	
Protection during firefighting	 Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECTION 6: Accidental release n	neasures
	neasures /e equipment and emergency procedures
6.1. Personal precautions, protectiv	 re equipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.1. Personal precautions, protectiv General measures	 ve equipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. inment and cleaning up Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or
6.1. Personal precautions, protectiv General measures6.2. Methods and material for conta	 ve equipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. inment and cleaning up
 6.1. Personal precautions, protectiv General measures 6.2. Methods and material for conta For containment Methods for cleaning up 	 ve equipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. inment and cleaning up Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
 6.1. Personal precautions, protectiv General measures 6.2. Methods and material for conta For containment Methods for cleaning up 6.3. Reference to other sections 	 ve equipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. inment and cleaning up Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
 6.1. Personal precautions, protectiv General measures 6.2. Methods and material for conta For containment Methods for cleaning up 6.3. Reference to other sections 	 re equipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. inment and cleaning up Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Avoid generating dust. Vacuum or sweep material and place in a disposal container. Provide ventilation.
 6.1. Personal precautions, protectiv General measures 6.2. Methods and material for conta For containment Methods for cleaning up 6.3. Reference to other sections See section 8 for further information on prot SECTION 7: Handling and storag 	 re equipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. inment and cleaning up Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Avoid generating dust. Vacuum or sweep material and place in a disposal container. Provide ventilation.
 6.1. Personal precautions, protectiv General measures 6.2. Methods and material for conta For containment Methods for cleaning up 6.3. Reference to other sections See section 8 for further information on prot SECTION 7: Handling and storag 	 re equipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. inment and cleaning up Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Avoid generating dust. Vacuum or sweep material and place in a disposal container. Provide ventilation.

SurFix[™] FEP

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place. Keep out of direct sunlight. Keep away from food and drink.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Cement, alumina,	chemicals (65997-16-2)	
ACGIH	Not applicable.	
OSHA	Not applicable.	
Vinyl acetate (108	-05-4)	
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	ACGIH STEL (ppm)	15 ppm
OSHA	Not applicable.	
Cement, portland,	chemicals (65997-15-1)	
ACGIH	ACGIH TWA (mg/m³)	1 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)

8.2. Exposure controls	
Appropriate engineering controls	 Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Protective gloves made of rubber or PVC.
Eye protection	: Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physical state	:	Solid	
Appearance	:	Fine powder	
Color	:	Gray	
Odor	:	Low odor	
Odor threshold	:	No data available	
рН	:	11 (wet state)	
Melting point	:	No data available	
Freezing point	:	No data available	
Boiling point	:	No data available	
Flash point	:	No data available	
Relative evaporation rate (butyl acetate=1)	:	No data available	
Flammability (solid, gas)	:	Not flammable	
Explosion limits	:	No data available	
Explosive properties	:	No data available	

SurFix™ FEP

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: 1.0
Relative vapor density at 20 °C	: No data available
Solubility	: Water: < 0.1 %
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

When mixed with water, products produce an alkaline solution.

10.4. Conditions to avoid

Heat incompatible materials, water/humidity.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

SurFix™ FEP	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	> 5 mg/l/4h
Vinyl acetate (108-05-4)	
LD50 oral rat	2900 mg/kg
LD50 dermal rabbit	2335 mg/kg
LC50 inhalation rat	11400 mg/m³/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Suspected of causing cancer.
Vinyl acetate (108-05-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
SECTION 12: Ecological information	

12.1. Toxicity	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
12.2. Persistence and degradability	
SurFix™ FEP	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
SurFix™ FEP	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available.	
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	15
13.1. Waste treatment methods	
Waste disposal recommendations	This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
SECTION 14: Transport information	
14.1. Department of Transportation (DOT	
In accordance with DOT	
Not regulated for transport	
14.2. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	ı <u> </u>

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Vinyl acetate (108-05-4)	
Listed on the United States SARA Section 302 Subject to reporting requirements of United St	
SARA Section 302 Threshold Planning Quantity (TPQ)	1000
SARA Section 313 - Emission Reporting	0.1 %
15.2. US State regulations	
SurFix™ FEP	
State or local regulations	This product does not contain a chemical known to the State of California to cause cancer,

SurFix™ FEP

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 16: Other information

Date of issue	:	02/17/2012
Revision date	:	02/10/2016
Other information	:	None

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.